



PRODUCT ATTRIBUTES

Product Name: _____

Lot Number: _____

Date Produced: _____

Best By: _____

Extraction Process: _____

CBD Form:

☐ Full Spectrum ☐ Distillate

☐ Full Spectrum/Distillate Blend

TESTING RESULTS

☒ Pesticide Free

☒ Microbials Free

☒ Heavy Metals Free

*Total CBD (mg) per Bottle: _____

*Total CBD (mg) per Serving: _____

*Total % THC in Product: _____



Lab results obtained from: SC Labs


*Results may vary when tested at different third party laboratories. Acceptable variance up to 6%.



Joint and Muscle

Batch ID:	BRLGJM006	Test ID:	T000245280
Type:	Unit	Submitted:	05/30/2023 @ 11:02 AM
Test:	Potency	Started:	6/2/2023
Method:	TM14 (HPLC-DAD)	Reported:	6/2/2023

CANNABINOID PROFILE



Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	2.05	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	2.32	<LOQ	<LOQ
Cannabidiolic acid (CBDA)	2.43	ND	ND
Cannabidiol (CBD)	2.37	24.55	7.0
Delta 8-Tetrahydrocannabinol (Delta 8THC)	2.55	ND	ND
Cannabinolic Acid (CBNA)	1.46	ND	ND
Cannabinol (CBN)	0.67	ND	ND
Cannabigerolic acid (CBGA)	2.14	ND	ND
Cannabigerol (CBG)	0.51	0.74	0.2
Tetrahydrocannabivarinic Acid (THCVA)	1.81	ND	ND
Tetrahydrocannabivarin (THCV)	0.47	ND	ND
Cannabidivarinic Acid (CBDVA)	1.01	ND	ND
Cannabidivarin (CBDV)	0.56	ND	ND
Cannabichromenic Acid (CBCA)	0.83	ND	ND
Cannabichromene (CBC)	0.90	1.26	0.4
Total Cannabinoids		26.55	7.6
Total Potential THC**		0.00	0.0
Total Potential CBD**		24.55	7.0

NOTES:

of Servings = 1, Sample Weight=3.5g

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.


** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa *(0.877)) and

Total CBD = CBD + (CBDa *(0.877))

ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

	Sam Smith 2-Jun-2023 3:08 PM		Karen Winternheimer 2-Jun-2023 3:10 PM
--	------------------------------------	---	--

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02

Joint and Muscle

Batch ID:	BRLGJM006	Test ID:	T000245279
Matrix:	Finished Product	Received:	05/30/2023 @ 11:02 AM
Test:	Microbial Contaminants	Started:	5/30/2023
Methods:	TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Reported:	6/2/2023

MICROBIAL CONTAMINANTS

Contaminant	Method	LOD	Quantitation Range	Result
Total Yeast and Mold*	TM-24 Culture Plating	10 ¹ CFU/g	2.0x10 ² - 3.0x10 ⁴ CFU/g	None Detected
Total Aerobic Count*	TM-26 Culture Plating	10 ² CFU/g	2.0x10 ³ - 3.0x10 ⁵ CFU/g	None Detected
Total Coliforms*	TM-27 Culture Plating	10 ¹ CFU/g	2.0x10 ² - 3.0x10 ⁴ CFU/g	None Detected
STEC	TM-25 PCR	10 ⁰ CFU/g	N/A	Absent
Salmonella	TM-25 PCR	10 ⁰ CFU/g	N/A	Absent

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: 10² = 100 CFU
10³ = 1,000 CFU
10⁴ = 10,000 CFU
10⁵ = 100,000 CFU



NOTES:

Free from visual mold, mildew, and foreign matter

DEFINITIONS:

CFU/g = Colony Forming Units per gram | LOD = Limit of Detection | STEC = Shiga toxin-producing E. coli
LLOQ = Lower Limit of Quantitation | ULOQ = Upper Limit of Quantitation

FINAL APPROVAL

 Eden Thompson-Wright 6/2/2023 2:26:00 PM	 Brett Hudson 6/2/2023 4:15:00 PM
--	---

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc. warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.03